



Registered Post A/D
SHREE DATTA SHETKARI SAHAKARI SAKHAR KARKHANA LTD., SHIROL.
श्री दत्त शेतकरी सहकारी साखर कारखाना लिमिटेड, शिरोळ.

POST: DATTANAGAR 416 120, TALUKA SHIROL, DIST. KOLHAPUR. (MS) INDIA

पोस्ट : दत्तनगर ४१६ १२०, तालुका शिरोळ, जिल्हा कोल्हापूर (महाराष्ट्र) भारत

Phone : (02322) 236551 (6-Lines), Fax : (02322) 236600

klp.dattsssk@gmail.com



Ref. No. 5731 /ENV/EC.C/2021-22

Date: 17/12/2022

To,
Deputy Director General of Forest (Central),
West Central Zone,
Regional Office (WCZ)
Ground Floor, East wing,
New Secretariat Building, Opp. VCA Ground,
Civil Lines, Nagpur - 440001.

Subject: Six Monthly Compliance Report for the Period of June 2022 to Dec 2022

Reference: Environment Clearance for Expansion of Sugarcane crushing capacity from 9000 TCD to 15000 TCD, distillery capacity from 60 KLPD to 90 KLPD (Rectified spirit/ENA/Ethanol) and establishment of 21+5 MW Co-generation Power Plant vide file no SEIAA-EC-0000002257 dated 1st June 2020.

Dear Sir,

With Reference to the above subject matter we are submitting the environmental status Report and Compliance of environmental Clearance conditions.

However, we may mention that industry expanded sugar factory capacity from 9500 TCD to 12000 TCD only for which the Consent to operate is received vide MPCB-CONSENT-0000150628/CO/2212000050 dated 01/12/2022 and expansion of distillery unit from 60 KLPD to 90 KLPD is fully executed but production is yet to start.

Thanking You.

Yours faithfully,

(Managing Director)

Shree Datta SSSK Ltd. shirol


**ENVIRONMENTAL CLEARANCE CONDITIONS AND COMPLIANCE FOR 9000 TCD
TO 15000 TCD**

Sr. No.	EC Conditions	Compliance
Specific Conditions:		
1.	PP to prepare and implement year wise plan to achieve 100% drip irrigation for the area under sugar cane cultivation.	Noted. Being prepared & implemented. The industry is implementing the drip irrigation programme on 4235 Acres of land out of the 4747 Acres of land since 2010. The industry has distributed the loan amount of Rs. 15,54,22,085/- towards the implementation of the same. The industry is also providing the subsidy to the farmers and as such Rs. 1,80,96,285/- is distributed to the farmers. The action plan for drip irrigation and status of implementation is enclosed as Annexure-I
2.	PP to prepare and implement CER plan in consultation with the District Authority as per OM issued by MoEF&CC dated 01.05.2018.	Industry has spent RS. 2.05 crore on Corporate Environment Responsibility for Sanitation, Drainage and Waste Treatment plant facility and Educational Aids such as Computer, E-learning in factory area.
3.	PP to ensure that CER plan gets approved from District Collector.	Enclosed as Annexure-II
4.	PP to ensure to comply with the conditions stipulated in the Office Memorandum issued by MoEF& CC dated 9th August, 2018.	Noted and complied.
General Conditions:		
1.	(i)PP to achieve Zero Liquid Discharge; PP shall ensure that there is no increase in the effluent load to CETP.	The Industry adopted the cleaner technology to recycle the entire condensates water to process as makeup water for cooling tower/boiler. Industry has its own ETP & CPU & Hence there is no discharge of effluent into CETP
2.	No additional land shall be used/ acquired for any activity of the project without obtaining proper Permission.	Existing land is adequate.
3.	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.	Risk analysis was carried out and implemented. Personnel protection equipment's are provided to workers. Health records of the employees are maintained as per Occupational Health Studies and enclosed as Annexure-III
4.	Proper Housekeeping programmes shall be	Complied.



	implemented.	
5.	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.	Noted & Strictly followed.
6.	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable)	The stack height provided for DG set is 6 meter above the roof level.
7.	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.	Already implemented. Collected water is being stored in tanks and used for process water as makeup water for cooling tower/boiler/ greenbelt development/gardening.
8.	Arrangement shall be made that effluent and storm water does not get mixed.	Separate collection systems are provided
9.	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.	Carried out regularly. Monitoring results are enclosed as Annexure-VII
10.	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.	Complied. Noise levels are kept well within the limits.
11.	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.	Implemented such as acoustic system and Noise proof foundations/enclosures etc. Also plantation is done to reduce noise levels. Results are included in Annexure VII
12.	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.	Noted. The industry has already planted 44004 trees. The greenbelt over and above 33% of the total factory area. Photographs are attached as Annexure-IV
13.	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.	Risk analysis was carried out and implemented.
14.	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per Factories Act.	Health records of the employees are maintained as per occupational Health Studies.



15	The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.	Firefighting arrangements have been provided around the storage of molasses, bagasse and sugar godowns etc. Fire brigaded is available with the industry and arrangement also has been made to contact the nearby industries and municipalities for fire brigaded in case of emergencies. Photographs are attached as Annexure-V
16	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.	The only hazardous waste generated is spent oil and disposed as per CPCB guidelines to authorized recyclers.
17	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.	Noted & Complied.
18	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.	Separate environment management cell is already established.
19	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise break-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.	Complied.
20	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in	Already complied. Enclosed as Annexure-VI
21	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and	Submitted regularly. 

	conditions in hard & soft copies to the MPCB & this department, on 1 st June & 1 st December of each calendar year.	
22	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent	Complied.
23	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectorial parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Complied
24	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.	Six Monthly compliance reports are regularly submitted.
25	The environmental statement for each financial year ending 31 st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	Submitted regularly.



Six Monthly Compliance Report

Managing Director
Shree Datta Shetkari Sahakari Sakhar
Karkhana Ltd., Shirol Post Dattanagar
Tal. Shirol, Dist. Kolhapur

Page 4

Annexure I: Drip Irrigation Plan

क्र.कार्या-७/गृह/पोल/आरआर-२७२७/२०१९
जिल्हाधिकारी व जिल्हादंडाधिकारी कार्यालय,
नागाळा पार्क, कोल्हापूर ४१६ ००३.
दिनांक : ०९/०१/२०२०.


प्रति,
कार्यकारी संचालक,
मे. दत्त शेतकरी सहकारी साखर कारखाना लि.,
दत्तनगर, शिरोळ, ता. शिरोळ, जिल्हा कोल्हापूर

विषय :- Expansion of the Sugart Factory capacity from 9000 to 15000 TCD, Distillery capacity from 60 to 90 KLPD and establishing 24 MW Co-generation Power Plant at Shree Datta Shetkari Sakhar Karkhana Ltd. Dattanagar, Shirol.

संदर्भ :- १. आपलेकडील दिनांक २६/११/२०१९ रोजीचे पत्र.
२. उप प्रादेशिक अधिकारी, कोल्हापूर यांचेकडील जा.क्र.मप्रनि/
उप्राका/को/५०२/२०१९, दि. २४/१२/२०१९ रोजीचे पत्र.

उपरोक्त विषयास अनुसरून संदर्भ क्र. १ अन्वये श्री. दत्त शेतकरी सहकारी साखर लि. शिरोळ यांचे नियोजित विस्तारीकरण करिता पर्यावरण विषयक अनुमतीसाठी रितसर अर्ज पर्यावरण विभागास सादर करण्यात आलेला आहे. सदर अर्जाच्या निपटण्यासाठी कारखान्याकडून कार्पोरेट एन्व्हायरमेंट रिस्पॉन्सिबिलिटी अंतर्गत विविध सामाजिक व पर्यावरणासाठी करणेत येणाऱ्या खर्चास परवानगी मागणी केलेली आहे.

याबाबत इकडील दिनांक ०३/१२/२०१९ रोजी उप प्रादेशिक अधिकारी, महाराष्ट्र प्रदूषण नियंत्रण महामंडळ, कोल्हापूर यांना कळविणेत आलेले होते. त्यास अनुसरून संदर्भ क्र. २ अन्वये पर्यावरण विभाग नवी दिल्ली यांच्या दि. ०१/०५/२०१८ रोजीच्या ऑफिस मेमोरेंडम मध्ये नमुद केलेल्या मार्गदर्शानुसार शैक्षणिक, आरोग्य, पिण्याचे पाणी व स्वच्छता यासाठी खर्च करणे अपेक्षित आहे. (ऑफिस मेमोरेंडम ची प्रत सोबत जोडली आहे.) कारखान्याने दाखल केलेली कामे व खर्च हा वरील संवर्गांमध्ये येतो. असे इकडे कळविलेले आहे. त्याची प्रत सोबत जोडलेली आहे. तरी पर्यावरण विभाग नवी दिल्ली यांच्या दि. ०१/०५/२०१८ रोजीच्या ऑफिस मेमोरेंडम मध्ये नमुद केलेल्या मार्गदर्शक सूचनांचे उल्लंघन होणार नाही याची दक्षता घ्यावी. सदर मार्गदर्शक सूचनांचे उल्लंघन झालेस सदरचे पत्र रद्द समजणेत येईल. आवश्यकते नुसार कामे व त्यावरील खर्चात बदल करणेचा अधिकार इकडील कार्यालाकडे अबाधित ठेवणेत येत आहे. तसेच केलेल्या खर्चाचा दर सहा महिन्यांचा अहवाल महाराष्ट्र प्रदूषण नियंत्रण मंडळ व इकडील कार्यालयास दि. ०१/०५/२०१८ रोजीच्या ऑफिस मेमोरेंडम मध्ये नमुद केलेल्या मुद्दा क्र. 6 (VI) नुसार सादर करावा.


(दिलीप देसाई)
जिल्हादंडाधिकारी कोल्हापूर

प्रत :- उप प्रादेशिक अधिकारी, महाराष्ट्र प्रदूषण नियंत्रण मंडळ, उप प्रादेशिक कार्यालय, कोल्हापूर यांना माहितीसाठी.

G:/Letters3/



SHREE DATTA SHETKARI SAHAKARI SAKHAR KARKHANA LTD., SHIROL.
श्री दत्त शेतकरी सहकारी साखर कारखाना लिमिटेड, शिरोळ.



POST:DATTANAGAR 416 120, TALUKA SHIROL, DIST. KOLHAPUR. (MS) INDIA

पोस्ट : दत्तनगर ४१६ १२०, तालुका शिरोळ, जिल्हा कोल्हापूर (महाराष्ट्र) भारत

Phone : (02322) 236551 (6 Lines), Fax : (02322) 236800

kfp.dattsssk@gmail.com

The average registered cane area of our factory is 14500 Hectors and within 2 to 3 years the cane area availability from reclaimed soil will be around 4000 Hectors. Thus the total area under sugar cane will be near about 18500 Hectors. Our Sugar factory Management decided to cover the entire area (i.e.100%) under drip irrigation system. We have already entered into agreement with Jain irrigation, Netafim drip irrigation, finolex plassions and kothari drip irrigation for implementation of drip irrigation scheme. The said scheme is being implemented with 100% loan against recovery from cane payment i.e. 50% recovery from plant cane payment and 50% recovery from ratoon cane payment with interest. Our Sugar Factory assistance in the form of subsidy is Rs.15250 /- Per Hector to farmers. Drip irrigation maintenance services are given to the farmers upto 3 years.

Drip irrigation schemes implemented so far in (Hectors)

Sr.No.	Year	Drip irrigation area (in Hec.)
01	2010-2011	623
02	2011-2012	523
03	2012-2013	806
04	2013-2014	572
05	2014-2015	524
06	2015-2016	644
07	2016-2017	569
08	2017-2018	599
09	2018-2019	590
	Total.....	5450

Planing for implementation drip irrigation scheme on the remaining cane area (Hectors).

Sr.No.	Year	Drip irrigation area (in Hec.)
01	2019-2020	1650
02	2020-2021	2000
03	2021-2022	3100
04	2022-2023	3100
05	2023-2024	3200
	Total.....	13050

Yours faithfully
for SHREE DATTA SSSK LTD., SHIROL

M. V. Patil
MANAGING DIRECTOR

F:\YINPDATTA01\FAX-2010-2011.DOC



श्री दत्त शेतकरी सहकारी साखर कारखाना लि.शिरोळ
कारखाना ठिबक सिंचन योजना

अ.न	योजना	हंगाम	स.संख्या	क्षेत्र एकर	रक्कम	अनुदान
१	४९	२०१०-११-१२	३१४	६२३	२१९६५३८१.००	----
२	५८	२०१२-१३-१४	२७३	४२३	१७८२३७३६.००	२४३८७१९.००
३	६१	२०१३-१४-१५	५३३	८०६	३६५३५८५.००	४०९१५७५.००
४	६४	२०१४-१५-१६	३०८	५७२	२३३५९४८७.००	३३१७२०५.००
५	६५	२०१४-१५-१६	१३६	२२४	९५६०६२९.००	
६	६८	२०१५-१६-१७/१८	७८	१४४	६८२४२४६.००	२०९६९९७.००
७	६९	२०१५-१६-१७/१८	२१०	२९५	१४१६५९५२.००	
८	७२	२०१६-१७-१८	२४९	३६९	१८७६१२७६.००	१८८५५७१.००
९	७६	२०१७-१८-१९	१९५	२३८	११८९०९९२.००	१४६३१४६.००
१०	७९	२०१८-१९-२०	१८९	२७४	१३८७४५५९.००	१४४६९८१.००
११	८२	२०१९-२०-२१	१९६	२७०	१३५४२२४२.००	१३५६०९१.००
१२	८६	२०२०-२१-२२	१७३	२३८	१२१४६०६९.००	०
१३	८९	२०२१-२२-२३	१८९	२७४	१३८७४५५९.००	०
एकूण			३०४३	४७५०	६८१४४२७१३.००	१८०९६२८५.००

नाबार्ड अंतर्गत ठिबक सिंचन योजना

अ.न	योजना	हंगाम	स.संख्या	क्षेत्र एकर	रक्कम	अनुदान
१	६५	२०१४-१५-१६	१४०	२२४	९५६०६२९.००	
२	६९	२०१५-१६-१७/१८	२१९	२९५	१४१६५९५२.००	
एकूण			३५९	५१९	२३७२६५८१.००	



ANNEXURE-I

DRIP IRRIGATION IMPLEMENTATION STATUS TILL DATE

Sr. No.	Scheme	Season	No. of Members	Area in Acre	Cost incurred/ loan sanctioned by the industry	Subsidy from Government	Status
1	49	2010-2011-2012	314	623	2,19,65,381.0	0.0	Implemented
2	58	2012-2013-2014	273	423	1,78,23,736.0	24,38,719.0	Implemented
3	61	2013-2014-2015	533	806	36,53,585.0	40,91,575.0	Implemented
4	64	2014-2015-2016	308	572	2,33,59,487.0		Implemented
5	65	2014-2015-2016	136	224	95,60,629.0	33,17,205.0	Implemented
6	68	2015-16-2017-18	78	144	66,24,246.0		Implemented
7	69	2015-16-2017-18	210	295	1,41,65,952.0	20,96,997.0	Implemented
8	72	2016-2017-2018	249	369	1,87,61,276.0	18,85,571.0	Implemented
9	76	2017-2018-2019	195	235	1,18,90,992.0	14,63,146.0	Implemented
10	79	2018-2019-2020	189	274	1,38,74,559.0	14,46,981.0	Implemented
11	82	2019-2020-2021	196	270	1,35,42,242.0	13,56,091.0	Implemented
12	86	2020-2021-2022	173	238	1,21,46,069.0	0.0	Yet to start
13	89	2021-2022-2023	189	274	1,38,74,559.0	0.0	Yet to start
Total				4747	18,14,42,713.0	1,80,96,285.0	



(Signature)

Annexure II: Approved CER Plan from District Collector



SHREE DATTA SHETKARI SAHAKARI SAKHAR KARKHANA LTD., SHIROL
श्री दत्त शेतकरी सहकारी साखर कारखाना लिमिटेड, शिरोळ.



POST:DATTANAGAR 416 120, TALUKA SHIROL, DIST. KOLHAPUR. (MS) INDIA

पोस्ट : दत्तनगर ४१६ १२०, तालुका शिरोळ, जिल्हा कोल्हापूर (महाराष्ट्र) भारत

Phone : (02322) 236551 (6 Lines), Fax : (02322) 236800

kp.dattassk@gmail.com

Ref : 6125 /Env/Exp/2019-20

Date : 26/11/2019

To
The District Collector,
Swaraj Bhavan, Main Building,
Collector Office, Nagala Park,
Karveer, Kolhapur-416003

Sub: Expansion of the Sugai factory capacity from 9000 to 15,000 TCD, Distillery capacity from 60 to 90 KLPD and establishing 24 MW Co-generation Power Plant at Shree Datta Shetkari Sahakari Sakhar karkhana Ltd., Dattanagar ,(Tq) Shirol (Dst) Kolhapur.

Ref: Ministry Notification vide F.No.22-65/2017-1A-111 dated 1st May 2018.

Respected Sir,

We, at Shree Datta Shetkari Sahakari Sakhar Karkhana Ltd, proposes to expand the Sugar cane Crushing capacity from 9000 to 15000 TCD, Distillery capacity from 60 to 90 KLPD and establish Co-generation Power Plant of 21 MW. As per the Notification of the Ministry dated 1st May 2018, the Industry is to spend 0.75% of the project cost on Corporate Environment Responsibility, which works out to be Rs.2.03 Crores as the estimated project cost is Rs.270.03 crores (Copy of the Notification is enclosed).

We propose to spend this amount spread over in five years as per the following details given below:

1)	Sanitation, Drainage and Waste Treatment plant facilities at Dattanagar, Shirol (Spread over in 3 Years)	Rs.70.00 lakhs
2)	Educational Aids such as computer, E-learning (First Year) in command area of Shree Datta SSSK Primary schools.	Rs. 45.00 lakhs.
3)	Educational Aids such as computer, E-learning (Second Year) in command area of Shree Datta SSSK Primary schools.	Rs. 45.00 lakhs
4)	Educational Aids such as computer, E-learning (Third Year) in command area of Shree Datta SSSK Primary schools.	Rs. 45.00 lakhs
Total		Rs. 02.05 Crore

You are requested to approve the action plan for implementation as soon as we start the proposed implementation of the project.

Thanking You,

Yours faithfully,
Shree Datta SSSK Ltd, Shirol.


M.V.Patil

(Managing Director)

Encl: Notification

D:\Other_letters\DEPT\ENVIRONMENT_EXP_small.d

26/11/2019
आवक लिपिक
जिल्हाधिकारी कार्यालय,
कोल्हापूर



(Signature)

Annexure - III

E:\Desk-7-Pol\Letter of Genral file\GENERAL -22.doc-306-

जिल्हाधिकारी कार्यालय, कोल्हापूर.
स्वराज्य भवन, नागाळा पार्क, कोल्हापूर ४१६ ००३.
[कार्यासन-७/गृह पोल शाखा]


फोन नं. ०२३१/२६५४८१२
फॅक्स नं. ०२३१/२६५०५०९

ई-मेल :- dcbkolhapur@gmail.com

क्र.कार्यासन-७/गृह/पोल/आरआर-२५०४/२०१९
दिनांक :- ०३/१२/२०१९

प्रति,

उप प्रादेशिक अधिकारी,
महाराष्ट्र प्रदूषण नियंत्रण महामंडळ कोल्हापूर



विषय :- Expansion of the Suger factory capacity from १००० to १५०००
TCD,Distillary capacity from ६० to ९० KLPD and establishing २४ MW
Co-generation Power Plant at Shree Datta Shetkari Sakhar Karkhana
Ltd.Dattanagar,Shirol.


संदर्भ :- मॅनेजिंग डायरेक्टर,श्री.दत्त शेतकरी सहकारी साखर कारखाना लि.शिरोळ यांचेकडील
दिनांक २६/११/२०१९ रोजीचे पत्र.

उपरोक्त संदर्भिय विषयान्वये कळविणेत येते की, मॅनेजिंग डायरेक्टर,श्री.दत्त शेतकरी सहकारी साखर कारखाना लि.शिरोळ यांचेकडील दिनांक २६/११/२०१९ रोजीचे प्राप्त झालेले असून सदर पत्रात श्री.दत्त शेतकरी सहकारी साखर कारखान्याकडून ऊस गाळप क्षमता वाढविणे,डिस्टीलरी क्षमता वाढविणे व को-जनरेशन पॉवर प्लांट तयार करणेकामी आराखडा तयार केला असून सदर आराखडयास मान्यता मिळावी अशी विनंती केली आहे.उक्त कामी नियमानुसार कार्यवाही करणेत यावी व केले कार्यवाही बाबत संबंधितास अवगत करावे.

सोबत-संदर्भिय पत्राची ^{मुद्र}कॉपी प्रत.

अपर चिटणीस

प्रति- मॅनेजिंग डायरेक्टर,श्री.दत्त शेतकरी सहकारी साखर कारखाना लि.शिरोळ यांना माहितीसाठी.



महाराष्ट्र प्रदूषण नियंत्रण मंडळ
उप प्रादेशिक कार्यालय, कोल्हापूर

दूरध्वनी क्र. (0231)
2652952, 2660448
फॅक्स नं (0231)2652952
e-mail -



उद्योग भवन,
कलेक्टर ऑफिस जवळ,
कोल्हापूर. - 416 003.
http://mpcb.gov.in

srokolhapur@mpcb.gov.in

जा.क्र.मप्रनि/उप्राका/का/ ५०२ /२०१९

दि. २४/१२/२०१९

प्रति,
अप्पर चिटणीस,
जिल्हाधिकारी कार्यालय,
कोल्हापूर.

विषय - Expansion of the Sugar Factory capacity from 9000 to 15000 TCD,
Distillery capacity from 60 to 90 KLPD and establishing 24 MW Co-
generation Power Plant at Shree Datta Shetkari Sakhar Karkhana Ltd.,
Dattanagar, Shirol.

संदर्भ - आपले पत्र क्र. कार्यासन-७/गृह/पोल/आरआर-२५०४/२०१९
दि. ०३.१२.२०१९.

उपरोक्त विषयान्वये आपणास कळविण्यात येते की, मे. श्री दत्त शेतकरी सहकारी साखर कारखाना लि. शिरोळ यांचे नियोजित विस्तारीकरण करिता पर्यावरण विषयक अनुमतीसाठी रितसर अर्ज पर्यावरण विभागास सादर करण्यात आलेला आहे. सदर अर्जाच्या निपटान्यासाठी कारखान्याकडून कार्पोरेट एन्व्हायरमेंट रिस्पॉन्सिबिलिटी अंतर्गत विविध सामाजिक व पर्यावरणासाठी कामे करणे अपेक्षित आहे.

त्याअनुषंगाने कारखान्याने पुढील पाच वर्षातील प्रस्तावित कामे व त्याचा खर्च याबाबत त्यांच्या दि. २६.१२.२०१९ च्या पत्रान्वये अवगत केलेले आहे. पर्यावरण विभाग नवी दिल्ली यांच्या दि. ०१.०५.२०१८ रोजीच्या ऑफीस मेमोरेंडम मध्ये नमुद केलेल्या मार्गदर्शानुसार शैक्षणिक, आरोग्य, पिण्याचे पाणी व स्वच्छता यासाठी खर्च करणे अपेक्षित आहे. (ऑफीस मेमोरेंडम ची प्रत सोबत जोडली आहे) कारखान्याने दाखल केलेली कामे व खर्च हा वरील संवर्गामध्ये येतो.

(प्रशांत गायकवाड)
उप प्रादेशिक अधिकारी, कोल्हापूर

प्रत माहितीसाठी सादर -
प्रादेशिक अधिकारी, म.प्र.नि. मंडळ, कोल्हापूर.

✓ प्रत माहितीसाठी - मे. दत्त शेतकरी सहकारी साखर कारखाना लि. शिरोळ, ता. शिरोळ, जि. कोल्हापूर.



Managing Director

Shree Datta Shetkari Sahakari Sakhar
Karkhana Ltd., Shirol, Post. Dattanagar
Tal. Shirol, Dist. Kolhapur

①

Annexure III: Sample Health Report of Workers



Mane Care Diagnostics & Research Center



Occupational Health and Safety Laboratory

SAKHAR KARKHANA LTD, SHIROI
INWARD NO. 4307
24 FEB 2021
SENT

MEDICAL BILL

Bill No:-711

Date: - 22/02 /2021

Name: - **SHREE DATTA SHETKARI SAHAKARI SAKHAR KARKHANA LTD.SHIROL.**

Sr.No	Description of the Service	Qty	Rate/Person	Amount Rs.
1	Medical Check-up of: I) Complete physical Exam II) Audiometry	414	225	93,150/-
Amount in word:-NINETY THREE THOUSAND ONE HUNDRED FIFTY RUPEES ONLY.				TOTAL= 93,150/-

• **PLEASE MAKE A PAYMENT**

NAME:-Mane care Diagnostic and Research center
NAME OF BANK: - Canara Bank
AC NO: - 5034201000111
BRANCH:-Jaysingpur, IFSC CODE:-CNRB0005034
ACCOUNT:-CURRENT ACCOUNT
PAN CARD NO:-BEJPM7218C

MANE CARE
DIAGNOSTICS & RESEARCH CENTER
Occupational Health Laboratory.

• KOLHAPUR: 100, Laxmi Road, Behind S.T. Stand, Jaysingpur, Tal. Shirol, Dist. Kolhapur 416101. Mob. 9260171111 Office: 9623711777
• RAIGAD: 100, Laxmi Road, Behind S.T. Stand, Jaysingpur, Tal. Shirol, Dist. Kolhapur 416101. Mob. 9260171111 Office: 9623711777
• KALYAN: 100, Laxmi Road, Behind S.T. Stand, Jaysingpur, Tal. Shirol, Dist. Kolhapur 416101. Mob. 9260171111 Office: 9623711777
• NASHIK: 100, Laxmi Road, Behind S.T. Stand, Jaysingpur, Tal. Shirol, Dist. Kolhapur 416101. Mob. 9260171111 Office: 9623711777
• SATARA: 100, Laxmi Road, Behind S.T. Stand, Jaysingpur, Tal. Shirol, Dist. Kolhapur 416101. Mob. 9260171111 Office: 9623711777



Managing Director
Shree Datta Shetakari Sahakari Sakhar
Karkhana Ltd., Shirol, Post. Dattanagar
Tal. Shirol, Dist. Kolhapur

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFPH (Mumbai)

Form No 7 (Prescribed under Rule 18 (1))
HEALTH REGISTER

From: 01/02/2021 To 31/01/2022

Company Name: SHREE DATTA SHETKARI SAHAKARI SAKHAR KARKHANA LTD., SHIROL.

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of fitness or suspension issued to worker	Signature with gate certifying surgeon.
1	6018	MR. DILIP C MANAGULE	51	M	-	NA	NA	NA	NA	01/02/2021	Fit	NA	Fit	NA	
2	6099	MR. ANIL B SURYAWANSHI	50	M	-	NA	NA	NA	NA	01/02/2021	Fit	NA	Fit	NA	
3	1749	MR. NAMDEV R SHINDE	58	M	-	NA	NA	NA	NA	01/02/2021	Fit	NA	Fit	NA	
4	2044	MR. BHASKAR B BHANGADE	53	M	-	NA	NA	NA	NA	01/02/2021	Fit	NA	Fit	NA	
5	6097	MR. HIMMAT M BARGIR	49	M	-	NA	NA	NA	NA	01/02/2021	Fit	NA	Fit	NA	
6	0073	MR. SUBHASH B CHOUGULE	59	M	-	NA	NA	NA	NA	01/02/2021	Fit	NA	Fit	NA	
7	2038	MR. SUKESHA LANGARE	52	M	-	NA	NA	NA	NA	01/02/2021	Fit	NA	Fit	NA	
8	2957	MR. BHIMRAO R NAIK	42	M	-	NA	NA	NA	NA	01/02/2021	Fit	NA	Fit	NA	
9	3170	MR. VINAYAK P MUGONDA	28	M	-	NA	NA	NA	NA	01/02/2021	Fit	NA	Fit	NA	
10	2852	MR. MAHESH D PATIL	32	M	-	NA	NA	NA	NA	01/02/2021	Fit	NA	Fit	NA	
11	6283	MR. BABASO B TAMBOLI	59	M	-	NA	NA	NA	NA	01/02/2021	Fit	NA	Fit	NA	
12	0287	MR. NAMDEV B MANE	52	M	-	NA	NA	NA	NA	01/02/2021	Fit	NA	Fit	NA	
13	3051	MR. MAHADEV S MORE	29	M	-	NA	NA	NA	NA	01/02/2021	Fit	NA	Fit	NA	
14	2843	MR. KUMAR R KAMBLE	34	M	-	NA	NA	NA	NA	01/02/2021	Fit	NA	Fit	NA	
15	2839	MR. R. A RAJPUTE	43	M	-	NA	NA	NA	NA	01/02/2021	Fit	NA	Fit	NA	
16	0233	MR. BAJRANG R PATIL	57	M	-	NA	NA	NA	NA	01/02/2021	Fit	NA	Fit	NA	
17	6318	MR. B B MORDE	51	M	-	NA	NA	NA	NA	01/02/2021	Fit	NA	Fit	NA	
18	6212	MR. BABALAL A PATEL	55	M	-	NA	NA	NA	NA	01/02/2021	Fit	NA	Fit	NA	
19	0866	MR. DATTA H MALI	57	M	-	NA	NA	NA	NA	01/02/2021	Fit	NA	Fit	NA	

कायदा अधिनियम 1947 च्या कलम 10(रे) अन्वये
कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणकशल्यचिकित्सक
ACC 15 AB/2021/2



Managing Director
Shree Datta Shetkari Sahakari Sakhar
Karkhana Ltd., Shirol, Post. Dattanagar
Tal. Shirol, Dist. Kolhapur


Annexure IV: Photographs of Greenbelt



A handwritten signature in blue ink, appearing to be "Bhal", written over a horizontal line.


Managing Director
Shree Datta Shetkari Sahakari Sakhar
Karkhana Ltd., Shirol, Post. Dattanag,
Tal. Shirol, Dist. Kolhapur.

Bhal



Managing Director
Shree Datta Shetkari Sahakari Sakhar
Karkhana Ltd., Shirol, Post. Dattanag
Tal. Shirol, Dist. Kolhapur

Annexure V: Photographs of Fire Fighting Equipments



Managing Director
Shree Datta Shetkari Sahakari Sakhar
Karkhana Ltd., Shirol, Post. Dattana,
Tal. Shirol, Dist. Kolhapur

Annexure VI: Advertisement

1) Nav Maharashtra News Paper dated 06/06/2020

माहिती
श्री दत्त शेतकरी सहकारी साखर कारखाना लि.,
शिरोळ, ता. शिरोळ, जि. कोल्हापूर या कारखान्यास
प्रतिदिनी १००० मे.टन ते १५,००० मे. टन ऊस
गाळप क्षमतेचे विस्तारीकरण तसेच आसवनी
उत्पादन क्षमता ६० केंएलडी ते ९० केंएलडी व
२१ + ५ मे. वॉट विज निर्मितीसाठी पर्यावरणीय
मंजूरी मिळालेली आहे. सदर पर्यावरण मंजूरी महाराष्ट्र
प्रदुषण नियंत्रण मंडळ यांचेकडे तसेच
<http://ec.maharashtra.gov.in> या
वेबसाईटवर उपलब्ध आहे.

एम. व्ही. पाटील
कार्यकारी संचालक

दत्तनगर - ४१६ १२०
दिनांक - ०६/०६/२०२०

2) Vijay Karnataka Beggum Avartti dated 06/06/2020

Cell : 9844434766 Cell : 9800308024

श्री दत्त शेतकरी सहकारी साखर कारखाना
श. शिरोळ, ता. शिरोळ, जि. कोल्हापूर
दत्तनगर - ४१६ १२०
Ph. No. 02322-238551 (6 lines) Fax - 02322-238500
E-mail: ktd.sakhar@gmail.com

सावधानीचे सूचना

सद्य कारखानेची दैनिकी १००० मी. टन व १५००० मी.
टन वरील उस चालू करून घ्याव्यात. दिवसाला उस १०
कि. टन व १० कि. टन व २१+५ मी. टन व १५०००
मी. टन वरील उस चालू करून घ्याव्यात. हे करून घ्याव्यात
महाराष्ट्र प्रदुषण नियंत्रण मंडळाच्या वेबसाईटवर
<http://ec.maharashtra.gov.in> वर पोहोचून घ्याव्यात.

दत्तनगर - ४१६१२०
दिनांक : ०६-०६-२०२०

सह/ - ए. व्ही. पाटील
कार्यकारी संचालक



(Signature)

Annexure VII: Monitoring Reports

TEST REPORT STACK EMISSIONS				
Report Ref. No.	SEC/Stack-DM/11-22			
Report Date	08 December 2022			
Name of industry	Shri Datta Shetakari SSK Ltd., Dattanagar.			
Address	Dattanagar – 416120, Tal: Shirol, Dist. Kolhapur.			
Start Date of commencement of Sampling	28 November 2022			
Start Time of commencement of Sampling	03:30 pm			
End Date of commencement of Sampling	28 November 2022			
End Time of commencement of Sampling	04:00 pm			
Retention period of the remnant sample	30 days			
PARTICULARS OF STACK				
Stack attached to boiler	180 TPH			
Stack Diameter	4.00 m			
Stack Height	100 m			
Stack Temperature	115°C			
Stack Velocity of Flue Gases	9.8 m/s			
Type of Fuel	Bagasse			
POLLUTION PARAMETER RESULTS				
Parameter	Results	Limits	Units	Method Used
Particulate Matter (PM)	80	150	mg/Nm ³	IS 11255 (Part 1): 1985, Reaffirmed 2003
SO ₂	26	80	mg/Nm ³	IS-11255 (Part 2): 1985 Reaffirmed 2009
NO _x	47	80	mg/Nm ³	IS-11255 (Part 7): 2005 Reaffirmed 2012
Note: The test report shall not be reproduced except in full without written approval of the laboratory.				



Managing Director
Shree Datta Shetakari Sahakari Sakhar
Karkhana Ltd., Shirol, Post. Dattanagar
Tal. Shirol, Dist. Kolhapur

AMBIENT AIR QUALITY REPORT

Report Ref. No. : SEC/AA-DM/11-22	End of Analysis : 06 December 2022
Name of Industry/Customer: Shri Datta Shetkari SSK Ltd., Dattanagar.	Report Date : 08 December 2022
Address: Dattanagar – 416120, Tal: Shirol, Dist. Kolhapur.	Lab ID/Sample Ref. No. : AA1-DM
Date of Collection / Sampling : 28 November 2022	Sample Description: Ambient Air
Date of Receipt : 29 November 2022	Sample Collected By: SEC Lab
Sample Location : Near Sugar Main Gate	

Sr. No.	Parameter	Unit	Result	Standard Limit	Test Method
1	Particulate Matter (PM 10)	$\mu\text{g}/\text{m}^3$	71	100	IS 5182 (Part 23): 2006 Reaffirmed 2012
2	Particulate Matter (PM 2.5)	$\mu\text{g}/\text{m}^3$	33	60	SEC/SOP/Air/Ambient/03:2018
3	Sulphur Dioxide (as SO ₂)	$\mu\text{g}/\text{m}^3$	14.00	80	IS 5182 (Part 2): 2001
4	Nitrogen Dioxide (as NO _x)	$\mu\text{g}/\text{m}^3$	17.00	80	IS 5182 (Part 6): 2006




Managing Director
Shree Datta Shetkari Sahakari Sakhar
Karkhana Ltd., Shirol, Post. Dattanagar,
Tal. Shirol, Dist. Kolhapur

AMBIENT AIR QUALITY REPORT

Report Ref. No. : SEC/AA-AO/11-22	End of Analysis : 06 December 2022
Name of Industry/Customer: Shri Datta Shetkari SSK Ltd., Dattanagar.	Report Date : 08 December 2022
Address: Dattanagar – 416120, Tal: Shirol, Dist. Kolhapur.	Lab ID/Sample Ref. No. : AA2-DM
Date of Collection / Sampling : 28 November 2022	Sample Description: Ambient Air
Date of Receipt : 29 November 2022	Sample Collected By: SEC Lab
Sample Location : Near Sugar ETP Plant	

Sr. No.	Parameter	Unit	Result	Standard Limit	Test Method
1	Particulate Matter (PM 10)	µg/m ³	70	100	IS 5182 (Part 23): 2006 Reaffirmed 2012
2	Particulate Matter (PM 2.5)	µg/m ³	32	60	SEC/SOP/Air/Ambient/03:2018
3	Sulphur Dioxide (as SO ₂)	µg/m ³	12.00	80	IS 5182 (Part 2): 2001
4	Nitrogen Dioxide (as NO _x)	µg/m ³	15.00	80	IS 5182 (Part 6): 2006



(Handwritten signature)

Managing Director

Shree Datta Shetkari Sahakari Sakhar
Karkhana Ltd., Shirol, Post. Dattanagar
Tal. Shirol, Dist. Kolhapur

(Handwritten initials)

TEST REPORT

Report Ref. No. : SEC/W-DM/11-22	End of Analysis : 06 December 2022
Name of Industry/Customer: Shri Datta Shetkari SSK Ltd., Dattanagar.	Report Date : 08 December 2022
Address: Dattanagar – 416120, Tal: Shirol, Dist. Kolhapur.	Lab ID/Sample Ref. No. : DM1
Date of Collection / Sampling : 28 November 2022	Nature of Sample: Water
Date of Receipt : 29 November 2022	Sample Collected By: SEC Lab
Date of Analysis: 30 November 2022	Sample Quantity : 1 lit
Name of Sample : Sugar ETP Inlet	

Sr. No.	Test Parameter	Result	Unit	Test Method
1	pH @ 25 °C	5.88	-	IS:3025 (P-11) 1983
2	Chemical Oxygen Demand	3998	mg/l	IS:3025 (P-58) 2006
3	B.O.D. (3 days at 27°C)	1640	mg/l	IS:3025 (P-44) 1993
4	Total Dissolved Solids	3351	mg/l	IS:3025(P-16)1984
5	Total Suspended Solids	472	mg/l	IS:3025 (P-17) 1984
6	Chloride as Cl ⁻	340	mg/l	IS:3025 (P-32) 1988
7	Sulphate as SO ₄	208	mg/l	IS:3025 (P-24) 1986
8	Oil & Grease	10	mg/l	IS:3025 (P-39) 1991 (RA 2003)



(Handwritten signature)

Managing Director
Shree Datta Shetkari Sahakari Sakhar
Karkhana Ltd., Shirol, Post. Dattanagar
Tal. Shirol, Dist. Kolhapur

(Handwritten initials)

TEST REPORT

Report Ref. No. : SEC/W-DM/11-22	End of Analysis : 06 December 2022
Name of Industry/Customer: Shri Datta Shetkari SSK Ltd., Dattanagar.	Report Date : 08 December 2022
Address: Dattanagar – 416120, Tal: Shirol, Dist. Kolhapur.	Lab ID/Sample Ref. No. : DM2
Date of Collection / Sampling : 28 November 2022	Nature of Sample: Water
Date of Receipt : 29 November 2022	Sample Collected By: SEC Lab
Date of Analysis: 30 November 2022	Sample Quantity : 1 lit
Name of Sample : Sugar ETP Outlet	

Sr. No.	Test Parameter	Result	Unit	Standards	Test Method
1	pH @ 25 °C	7.23	-	5.5-8.5	IS:3025 (P-11) 1983
2	Chemical Oxygen Demand	107	mg/l	250	IS:3025 (P-58) 2006
3	B.O.D. (3 days at 27°C)	38	mg/l	100	IS:3025 (P-44) 1993
4	Total Dissolved Solids	689	mg/l	2100	IS:3025(P-16)1984
5	Total Suspended Solids	52	mg/l	100	IS:3025 (P-17) 1984
6	Chloride as Cl ⁻	94	mg/l	600	IS:3025 (P-32) 1988
7	Sulphate as SO ₄	127	mg/l	1000	IS:3025 (P-24) 1986
8	Oil & Grease	ND	mg/l	10	IS:3025 (P-39) 1991 (RA 2003)



Managing Director

Shree Datta Shetkari Sahakari Sakhar
Karkhana Ltd., Shirol, Post. Dattanagar,
Tal. Shirol, Dist. Kolhapur



TEST REPORT

Report Ref. No. : SEC/W-DM/11-22	End of Analysis : 06 December 2022
Name of Industry/Customer: Shri Datta Shetkari SSK Ltd., Dattanagar.	Report Date : 08 December 2022
Address: Dattanagar – 416120, Tal: Shirol, Dist. Kolhapur.	Lab ID/Sample Ref. No. : DM3
Date of Collection / Sampling : 28 November 2022	Nature of Sample: Water
Date of Receipt : 29 November 2022	Sample Collected By: SEC Lab
Date of Analysis: 30 November 2022	Sample Quantity : 1 lit
Name of Sample : Spraypond Overflow	

Sr. No.	Test Parameter	Result	Unit	Test Method
1	pH @ 25 °C	7.51	-	IS:3025 (P-11) 1983
2	Chemical Oxygen Demand	691	mg/l	IS:3025 (P-58) 2006
3	B.O.D. (3 days at 27°C)	152	mg/l	IS:3025 (P-44) 1993
4	Total Dissolved Solids	1916	mg/l	IS:3025(P-16)1984
5	Total Suspended Solids	170	mg/l	IS:3025 (P-17) 1984
6	Chloride as Cl ⁻	152	mg/l	IS:3025 (P-32) 1988
7	Sulphate as SO ₄	203	mg/l	IS:3025 (P-24) 1986
8	Oil & Grease	ND	mg/l	IS:3025 (P-39) 1991 (RA 2003)



Managing Director

Shree Datta Shetkari Sahakari Sakhar
Karkhana Ltd., Shirol, Post. Dattanagar,
Tal. Shirol, Dist. Kolhapur

TEST REPORT

Report Ref. No. : SEC/W-DM/11-22	End of Analysis : 06 December 2022
Name of Industry/Customer: Shri Datta Shetkari SSK Ltd., Dattanagar.	Report Date : 08 December 2022
Address: Dattanagar – 416120, Tal: Shirol, Dist. Kolhapur.	Lab ID/Sample Ref. No. : DM4
Date of Collection / Sampling : 28 November 2022	Nature of Sample: Water
Date of Receipt : 29 November 2022	Sample Collected By: SEC Lab
Date of Analysis: 30 November 2022	Sample Quantity : 1 lit
Name of Sample : Sugar Condensate Outlet	

Sr. No.	Test Parameter	Result	Unit	Test Method
1	pH @ 25 °C	7.49	-	IS:3025 (P-11) 1983
2	Chemical Oxygen Demand	129	mg/l	IS:3025 (P-58) 2006
3	B.O.D. (3 days at 27°C)	33	mg/l	IS:3025 (P-44) 1993
4	Total Dissolved Solids	126	mg/l	IS:3025(P-16)1984
5	Total Suspended Solids	22	mg/l	IS:3025 (P-17) 1984
6	Chloride as Cl ⁻	15	mg/l	IS:3025 (P-32) 1988
7	Sulphate as SO ₄	31	mg/l	IS:3025 (P-24) 1986
8	Oil & Grease	ND	mg/l	IS:3025 (P-39) 1991 (RA 2003)




**Monitoring the Implementation of Environmental Safeguards
Ministry of Environment, Forest & Climate Change
Regional Office (West Central Zone), Nagpur**


**Monitoring Report
Part – I
DATA SHEET**

1.	Project Type: River-valley / Mining / Industry /Thermal / Nuclear / Other (Specify)	Industry
2.	Name of the Project	The industry received Environment Clearance for Proposed Expansion of Sugarcane crushing capacity from 9000 TCD to 15000 TCD, Distillery capacity from 60 KLPD to 90 KLPD (Rectified Spirit/ENA/Ethanol) and establishment of 21 + 5 MW Co-generation Power Plant at Dattanagar, Tal. Shirol, Dist. Kolhapur, Maharashtra by Shree Datta Shetkari Sahakari Sakhar Karkhana Limited Environment Clearance is awarded-SEIAA-EC-0000002257 dated 1st June 2020. The industry expanded the sugarcane crushing capacity from 9500 TCD to 12000 TCD only, distillery capacity remains same as 60 KLPD even though the expansion up to 90 KLPD is already completed but the production is yet to start and co-generation power plant is yet to be established.
3.	Clearance Letter (s) / OM No. and date	SEIAA-EC-0000002257 Dated- 1 st June 2020
4.	Location District (s) State (s) Latitude Longitude	At Dattanagar, Tal. Shirol, Dist. Kolhapur, Maharashtra by Shree Datta Shetkari Sahakari Sakhar Karkhana Limited Kolhapur Maharashtra 16 45'N 74 36'E
5.	Address for correspondence Address of concerned Project Chief Engineer (with Pin Code & Telephone/ Telex/ Fax Numbers) & Address of Executive Project Engineer / Manager (with pin code/fax numbers)	Managing Director:- Shree Datta Shetkari Sahakari Sakhar Karkhana Ltd., Shirol, Post-Dattanagar, 416120 Tal-Shirol, Dist-Kolhapur Tel No.: (02322) 236551 (6 lines) Fax. No.- (02322) 236600
6.	Salient features Of the Project	The factory expanded sugar factory




Managing Director
 Shree Datta Shetkari Sahakari Sakhar
 Karkhana Ltd., Shirol, Post-Dattanagar
 Tal. Shirol, Dist. Kolhapur

		capacity 9500 TCD to 12000 TCD only for which the Consent to operate is received vide MPCB-CONSENT-0000150628/CO/2212000050 dated 01/12/2022. The industry has fully executed expansion of distillery capacity from 60 KLPD to 90 KLPD, but the production is yet to start.
	Of the Environmental Management Plan	<ol style="list-style-type: none"> 1. The industry has its own land of 854600 Sq. m. out of which 293916.82 sq.m. of land is utilized for Green belt development. 2. Rainwater harvesting is already implemented & collected in a pond & used for green belt development/ process after treatment. 3. The industry has undertaken a number of social and cultural activities to the nearby local population and proposes to reserve 1.0 % of the capital cost of the project as CSR activities. 4. The industry has provided online monitoring system and connected to CPCB/MPCB servers. 5. The raw spentwash generated is treated based on concentration in MEE followed by composting in order to achieve the Zero Liquid Discharge.
7.	Breakup of the Project area Submergence Area: Forest & Non Forest Others	Not Applicable.
	Total Plot Area	85.46 Ha (Out of which the industry has sold 0.60 Ha of land to Datta Bhandar, 8.45 Ha of land to Educational trust & 16.22 Ha land is given on lease to Urjankur Shree Datta power ltd. The maintenance of the area & green belt development is carried out by Shree Datta SSSK Ltd. Thus the total area available with Datta SSSK ltd is only 60.19 Ha.
	Built - Up Area (Including Road)	22.11 Ha
	Open Space available	8.44 Ha
	Green belt area	29.64 ha
8.	Breakup of the Project affected population with enumeration of those losing houses/dwelling units only, agricultural land only, both dwelling units & both dwelling units & agricultural land & landless laborers/artisan SC, ST/Adivasis Others (Please indicate whether these figures are based on any scientific and systematic survey carried out or only provisional	Not Applicable.




Bale

Managing Director

Shree Datta Shekari Sahakari Sakhar
Karkhana Ltd., Shirol, Post. Dattanagar
Tal. Shirol, Dist. Kolhapur

	figures, if a survey carried out gives details and years of survey.)	
9.	Financial Details	
	Project costs as originally planned & subsequent revised estimates and the year of price reference.	Sugar - 151.16 Crores & Distillery - 26.3022 Crores.
	Allocations made for Environmental Management Plan with item wise & year wise breakup.	The budget allocation for EMP is 35.5 Crores.
	Benefit Cost Ratio / Internal rate of Return and the year of assessment	Not Applicable
	Whether (c) includes the cost of Environmental Management as shown in the above.	No
	Actual expenditure incurred on the Project so far	Expansion of Sugar unit: 274.88Cr Expansion of distillery unit: 119.72Cr
	Actual expenditure incurred on the Environmental Management Plan so far	Expansion of Sugar unit: 9.28 Cr (For up gradation of ETP- 4.58 Cr, installation of CPU-4.29 Cr and installation of STP- 41 Lakhs)
10.	Forest land requirement The status of approval for diversion of Forestland for non-forestry use The Status of clearing felling The status of compensatory Afforestation programme in the light of actual field experience	Nil
11.	The status of clear felling in non-forest areas (such as submergence area of reservoir, Approach roads), if any with quantitative information	Not Applicable.
12.	Status of construction Date of commencement (Actual and/or Planned) Date of completion (Actual and/or Planned)	For 9500 TCD to 12000 TCD Sugar unit Commencement date: 15/07/2022 Completion date: 06/10/2022 For 60 KLPD to 90 KLPD distillery Unit: Commencement date: 26/06/2022 Completion Date: 12/12/2022 (Distillery Production shall be started in the 1 st week of January 2023)
13.	Reasons for the delay if the project is yet to start	NA
14.	Dates of site visits The dates on which the Project was monitored by Regional Office on previous occasions, if any Date of site visit for this monitoring Report	24/09/2021 10/11/2022 & RO Visit: 07/12/2022
15.	Details of correspondence with project authorities for obtaining action plan / information on status of compliance to safeguards other than the routine letters	Enclosed.



(Signature)

(Signature)
Managing Director
Shree Datta Shetkari Sahakari Sakhar
Karkhana Ltd., Shirol, Post. Dattanagar,
Tal. Shirol, Dist. Kolhapur

<p>for logistic support for site visit. (The monitoring report may obtain the details of all the letters issued so far but the later reports may cover only the letters issued subsequently)</p>	
--	--



Managing Director
Shree Datta Shetkari Sahakari Sakhar
Karkhana Ltd., Shirol, Post. Dattanagar
Tal. Shirol, Dist. Kolhapur